

### **Safety Data Sheet**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier INTERDUPLICAST B

**1.2.** Relevant identified uses of the substance or mixture and uses advised against Product is used for duplicating models in dental laboratories.

1.3 Details of the supplier of the safety data sheet

Production:

Manufacturer/Supplier: INTERDENT d.o.o. INTERDENT d.o.o.

Street: Opekarniška cesta 26 Dol 1

Country code /Postal code/City: SI-3000 Celje SI-3342 Gornji Grad

Telephone: +386(0) 425-62-00 Fax: +368(0) 490-62-02

1.4 Emergency telephone number

Emergency phone: 112 (EU)

+386(0) 425-62-00 (Mon – Fri: 8.00 – 16.00)

### SECTION 2: Hazards Identification

### 2.1 Classification of the substance or mixture

Product is not classified as hazardous according to Regulation (EC) No 1272/2008.

#### 2.2 Label elements

None for the mixture according to Regulation (EC) No. 1272/2008.

### 2.3 Other hazards

#### Carcinogenicity:

IARC, OSHA and NTP do not listed product as sold or ingredients as carcinogen.

### Results of PBT and vPvB assessment:

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

### Other hazards:

Chemical compounds containing silicon - hydrogen bonds (SiH). This product may generate hydrogen gas. For further information, refer to section 10: "Stability and Reactivity".



Date: 15th December 2022 Version 05

### **Safety Data Sheet**

### **SECTION 3: Composition / information on ingredients**

### 3.1 Substance

Product is a mixture.

### 3.2 Mixture

### **Ingredients:**

Mixture of organosiloxanes, additives.

Chemical name	Concentration*	Туре	CAS-No.		REACH Registration No.	Notes
Dodecamethylcyclohexas iloxane	0,1 - <1%	Impurities	540-97-6	208-762-8	Not relevant.	## vPvB
Decamethylcyclopentasil oxane	0,1 - <1%	Impurities	541-02-6	208-764-9	Not relevant.	## vPvB

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. # This substance has workplace exposure limit(s).

#### Classification:

Chemical name		Specific concentration limits / ATE / M-Factor:	Notes
Dodecamethylcyclohexasiloxan	None known.		
e			
Decamethylcyclopentasiloxane	None known.		

### **SECTION 4: First Aid Measures**

### 4.1 Description of first aid measures

### 4.1.1 General information:

No special measures required.

### After inhalation:

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. In case of inhalation: Move person into fresh air and keep at rest. Get medical attention if symptoms occur.

### After skin contact:

Remove contaminated clothing and shoes. Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

<sup>##</sup> This substance is listed as SVHC

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

ED: Endocrine Disruptor



### **Safety Data Sheet**

### After eye contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

### After swallowing:

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

### 4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 – Toxicological information

### 4.3 Indication of any immediate medical attention and special treatment needed

No specific recommendations.

### **SECTION 5: Fire Prevention Regulations**

### 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, foam, water spray, sand.

### Unsuitable extinguishing agents:

Alkaline powders. Do not use water jet as an extinguisher, as this will spread the fire. For further information, refer to section 10: "Stability and Reactivity".

### 5.2 Special hazards arising from the substance or mixture

Not known

#### **5.3** Advice for firefighters

Self-contained breathing apparatus (SBA) and full protective equipment is recommended.

### SECTION 6: Accidental Substance Release Regulations

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Keep away from Alkalis and caustic products. Eliminate all sources of ignition.

#### **6.2 Environmental precautions**

Collect spillage. Prevent entry into waterways, sewer, basements or confined areas. Mechanically ventilate the spillage area to prevent the formation of explosive concentrations.



### **Safety Data Sheet**

### 6.3 Methods and material for containment and cleaning up

Absorb with sand and collect mechanically. The product is not environmental risk. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Suitable containers: equipped with a degassing device. Absorb with sand or other inert absorbent. Do NOT use products which are basic. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water.

#### **6.4 Reference to other sections**

Safe handling: see section 7. Personal protection equipment: see section 8. Disposal: see section 13.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Precautions:** 

This product may generate hydrogen gas. Keep away from ignition source. Empty container after use should be stored in separate area, and be disposed after degassing completely. Take precautionary measures against static discharges. Ensure adequate ventilation or where possible, inert process equipment. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. For further information, refer to section 10: "Stability and Reactivity". Store in original tightly closed container, equipped with a degassing device. Product may evolve minute quantities of flammable hydrogen gas which can accumulate. Adequately ventilate to maintain vapors well below flammability limits and exposure guidelines. Do not repackage. Clogged container vents may increase pressure build up. Keep above the chemical's freezing point. Protect against physical damage and/or friction.

### 7.3. Specific end use(s)

No specific recommendations.

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

None of the components have assigned exposure limits.

### 8.2 Exposure controls



### **Safety Data Sheet**

### 8.2.1 Appropriate engineering controls:

Use engineering controls to reduce air contamination to permissible exposure level. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Engineering controls are always preferable to personal protective equipment. Control measures to consider: Provide adequate ventilation. In case of inadequate ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

### 8.2.2 Personal protective equipment

Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

Personal protection equipment in accordance with Directive (EU) 2016/425 and List for harmonized standards for OVO-2018/C 209/03.

### General protection and hygienic measures:

Provide good ventilation. Wear personal protective equipment. Do not eat, drink or smoke when working. Wash hands when stop working and during breaks.

### Hand protection:

Recommendation of use protection in accordance with EN 374-1:2016.

Prolonged or repeated contact:

Material: Nitrile.

Glove thickness: 1,25 mm Guideline: EN374-3

#### Short contact:

Material: Nitrile / Neoprene Glove thickness: 0,198 mm

Guideline: EN374-3

### Respiratory system:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use the following CE approved air-purifying respirator: Breathing apparatus with combined filter type ABEK. Wear respiratory protection with combination filter (dust and gas filter) during operations leading to the formation of dust/aerosols.



### **Safety Data Sheet**

### Eye protection:

Recommendation safety goggles with side shields (EN 166:2001).

### Skin and body protection:

Wear appropriate clothing to prevent any possibility of skin contact. Isolate contaminated clothing and wash before reuse. In case of splashes: Wear apron or special protective clothing.

### 8.3 Control of environment protection

Common instructions: Do not wash rinse with fresh water or to drainage system.

SECTION 9: Physical and chemical pl	roperties
9.1 Information on basic physical and che	emical properties
Physical state	Viscous liquid
Colour	Yellow ochra
Odour	odourless
Melting point / freezing point	NA
Boiling point or initial boiling point and	NA
boiling range	
Flammability	NA
Flammability limit upper (%)	74 % (V) Hydrogen
Flammability limit lower (%)	4 % (V) Hydrogen
Lower and upper explosion limit	NA
Flash point	> 200 °C
Auto-ignition temperature	> 400 °C
Decomposition temperature	> 200 °C
рН	NA
Kinematic viscosity	Approx. 3000 mm <sup>2</sup> /s (20 °C)
Solubility	Insoluble in water
Partition coefficient n-octanol/water (log value)	NA
Vapour pressure	< 0.1 hPa (20 °C)
Density and/or relative density	0,99 kg/dm <sup>3</sup> (20 °C)
Relative vapour density	NA
Particle characteristics	NA
9.2 Other information	
Dynamic viscosity	Approx. 3000 mPa.s



### **Safety Data Sheet**

Oxidizing properties	According to the data on the components
	(evaluation by structure-activity
	relationship) Not considered as oxidizing.

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

No specific test data related to reactivity available for this product.

### 10.2 Chemical stability

In the product form is stable under normal storage and handling conditions.

### 10.3 Possibility of hazardous reaction

This product may generate hydrogen gas.

### 10.4 Conditions to avoid

None.

### 10.5 Incompatible materials

A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when this product is in contact with: Strong oxidizing agents. Alkalis and caustic products. Chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.

### 10.6 Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Amorphous silica.

Quantity of hydrogen potentially released (l/kg of product): < 6

### SECTION 11: Toxicological information

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Not classified for acute toxicity based on available data.

### Repeated dose toxicity:

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOAEL: 1 000 mg/kg; (Rat; Female, Male; Oral); Method: OECD 422; Subacute

exposure.

NOAEL: 0,0182 mg/l; (Rat; Female, Male; Inhalation - vapour); Method: OECD 413;

Subchronic



### **Safety Data Sheet**

exposure.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOAEL: 1 000 mg/kg; (Rat; Female, Male; Oral); Method: OECD 408; Subchronic

exposure.

NOAEL: 2,42 mg/l; (Rat; Female, Male; Inhalation - vapour); Method: OECD 453;

Chronic exposure.

NOAEL: 1 600 mg/kg; (Rat; Female, Male; Dermal); Method: OECD 410; Subacute

exposure

### Irritation and corrosivity

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit); Method: OECD 404

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit); Method: OECD 404

### **Serious Eye Damage/Eye Irritation:**

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit); Method: OECD 405

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit); Method: OECD 405

### **Respiratory or Skin Sensitization:**

Based on our knowledge of the composition information:

**DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):** 

Skin sensitization: Not a skin sensitizer. (Guinea Pig); Method: OECD 406

**DECAMETHYLCYCLOPENTASILOXANE (541-02-6):** 

Skin sensitization: Not a skin sensitizer. (Mouse); Method: OECD 429

#### **Germ Cell Mutagenicity:**

In vitro: Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation); Method: OECD 471 In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation); Method: OECD 476

DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Bacterial reverse mutation test: No mutagenic components identified. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471 In vitro gene mutations test on mammalian cells: No mutagenic components identified. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476 Chromosomal aberration: No clastogenic effect. (Chinese hamster lung cells ; with and without metabolic activation) ; Method: OECD 473



### **Safety Data Sheet**

In vivo: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Mammalian erythrocyte micronucleus test: No mutagenic effect. (Mouse; Intraperitoneal); Method: OECD 474 DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Mammalian erythrocyte micronucleus test: negative (Rat; Female, Male; Inhalation); Method: OECD 474 Unscheduled DNA Synthesis (UDS) Test with mammalian liver cells in vivo: negative (Rat; Female, Male; Inhalation); Method: OECD 486

### Carcinogenicity:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Not classified NOAEC: >= 2,42 mg/l (Rat; Female, Male; Inhalation - vapor); Method: Similar to OECD 453; Chronic exposure. No carcinogenic effects relevant to humans. Reproductive toxicity: BLUESIL RTV 4017 B Version: 7.0 Revision Date: 22.11.2021 Supersedes Date: 25.10.2018 SDS SI - PRCO90006521 9/14

### **Fertility:**

Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): classified Not Reproduction/developmental toxicity screening test: NOAEL (parent): >= 1 000 mg/kg; NOAEL (F1): 1 000 mg/kg; NOAEL (F2): None. (Rat; Female, Male; Gavage (Oral)); Method: OECD 422; The product is not considered to affect fertility. DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Not classified Fertility study 2 generations: NOAEL (parent): > 2,496 mg/l; NOAEL (F1): 2,496 mg/l; NOAEL (F2): None. (Rat; Female, Male; Inhalation - vapor); Method: OECD 416

### **Teratogenicity:**

Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Not classified NOAEL (terato): >= 1 000 mg/kg; NOAEL (mater): >= 1 000 mg/kg (Rabbit; Gavage (Oral)); Method: OECD 414 NOAEL (terato): >= 1 000 mg/kg; NOAEL (mater): >= 1 000 mg/kg (Rat; Gavage (Oral)); Method: OECD 414

### **Specific Target Organ Toxicity - Single Exposure:**

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Based on available data, the classification criteria are not met. DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Based on available data, the classification criteria are not met.

### **Specific Target Organ Toxicity - Repeated Exposure:**

Based on our knowledge of the composition information:



### **Safety Data Sheet**

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Based on available data, the classification criteria are not met. DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Based on available data, the classification criteria are not met.

### **Aspiration Hazard:**

Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Based on available data, the classification criteria are not met. DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

No other information available.

### SECTION 12: Ecological information

### 12.1 Toxicity

Acute toxicity: Fish: Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): LC 50 (Oncorhynchus mykiss; 96 h; Flow through): > 0.016 mg/l; Method: OECD 204; No toxicity at the limit of solubility DECAMETHYLCYCLOPENTASILOXANE (541-02-6): LC 50 (Oncorhynchus mykiss; 96 h; Flow through): > 0.016 mg/l; Method: OECD 204 NOEC (Oncorhynchus mykiss; 96 h; Flow through): >= 0,016 mg/l; Method: OECD 204 Aquatic Invertebrates: Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): EC 50 (Water flea (Daphnia magna); 48 h; Flow through): > 0,0029 mg/l; Method: OECD 202; No toxicity at the limit of solubility DECAMETHYLCYCLOPENTASILOXANE (541-02-6): EC 50 (Water flea (Daphnia magna); 48 h; Flow through): > 0,0029 mg/l; Method: OECD 202 NOEC (Water flea (Daphnia magna); 48 h; Flow through): >= 0,0029 mg/l; Method: OECD 202 Aquatic plants: Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): NOEC (growth rate) (Algae (Pseudokirchneriella subcapitata); 72 h; Static): >= 0.002 mg/l; Method: OECD 201; No toxicity at the limit of solubility ErC50 (Algae (Pseudokirchneriella subcapitata); 72 h ; Static): > 0.002 mg/l; Method: OECD 201; No toxicity at the limit of solubility DECAMETHYLCYCLOPENTASILOXANE (541-02-6): EC (Pseudokirchneriella subcapitata); 96 h; Static) : > 0,012 mg/l; Method: OECD 201 NOEC (Algae (Pseudokirchneriella subcapitata); 96 h; Static) : >= 0,012 mg/l; Method: **OECD 201** 

**Toxicity to microorganisms:** No data available.

**Chronic Toxicity:** Fish: Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): NOEC (Oncorhynchus mykiss; 90 d; Flow through): >= 0,014 mg/l; Method: OECD 210; No toxicity at the



### **Safety Data Sheet**

limit of solubility DECAMETHYLCYCLOPENTASILOXANE (541-02-6): NOEC (Oncorhynchus mykiss; 90 d; Flow through): >= 0,014 mg/l; Method: OECD 210 Aquatic Invertebrates: Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): NOEC (Water flea (Daphnia magna); 21 d; semi-static): >= 0,0046 mg/l; Method: OECD 211; No toxicity at the limit of solubility DECAMETHYLCYCLOPENTASILOXANE (541-02-6): NOEC (Water flea (Daphnia magna); 21 d; semi-static): >= 0,015 mg/l; Method: OECD

### 12.2 Persistence and degradability

Biodegradation: Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): 4,5 % (activated sludge, domestic, non-adapted; 28 d); Method: OECD 310; The product is not readily biodegradable. DECAMETHYLCYCLOPENTASILOXANE (541-02-6): 0,14 % (28 d); The product is not readily biodegradable. BLUESIL RTV 4017 B Version: 7.0 Revision Date: 22.11.2021 Supersedes Date: 25.10.2018 SDS\_SI - PRCO90006521 11/14 BOD/COD Ratio: No data available.

### 12.3 Bioaccumulative potential

Bioconcentration Factor (BCF): Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Bioconcentration Factor (BCF): 2 860 (Fathead Minnow; 49 d); Method: OECD 305; Has the potential to DECAMETHYLCYCLOPENTASILOXANE bioaccumulate. (541-02-6): Bioconcentration Factor (BCF): 16 200 (Pimephales promelas); Method: OECD 305; The product is not bioaccumulating. Partition coefficient (n-octanol/water): Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Log Kow: 8,87 (23 °C) DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Log Kow: 5,20 Log Kow: 8,02 (25,3 °C); Method: OECD 123

### 12.4 Mobility in soil

Not available for the product.

#### 12.5 Results of PBT and vPvB assessment

Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6): Meets vPvB criteria (REACH (1907/2006) Ax XIII) DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Meets vPvB criteria (REACH (1907/2006) Ax XIII)

### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effect

Non known.



### **Safety Data Sheet**

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Smaller quantities can be disposed with household garbage.

Bigger quantities should be disposed according to local law.

Disposal methods: Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Waste of this material should not be mixed with other waste. Provide measures such as vented bungs to ensure pressure relief in the waste container.

Contaminated Packaging: Contaminated packages should be as empty as possible and equipped with a degassing device. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Recycle following cleaning or dispose of at an authorized site.

### **SECTION 14: Transport Information**

	Land-Road/Railway (ADR/RID):	Inland waterways (ADNR):	Sea (IMDG):	Air (IATA):
14.1 UN number	No data available	(		
14.2 UN proper	No data available			
shipping name				
14.3 Transport	No data available			
hazard class(es)				
14.4 Packing	No data available			
group				
14.5	No data available			
Environmental				
hazards				
14.6 Special	No special precautions			
precautions for				
user				
14.7 Maritime	No data available			
transport in bulk				
according to IMO				
instruments				
Not a dangerous p	Not a dangerous product within the meaning of the transport regulations.			



### **Safety Data Sheet**

### SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Label Information:

Classification and labeling have been performed according to Regulative 1272/2008.

EU Hazard Symbol and Indication of Danger:

According to Regulation EC 1272/2008 this product is not classified.

### 15.2 Chemical safety assessment

As this product is not classified as hazardous, a chemical safety assessment is not required.

#### SECTION 16: Other information

Revision:

Version 05 issued on December 2022 in accordance with EC 1907/2006 (Commission Regulation (EU) 2015/830) and EC 1272/2008.

Revision in accordance with changes in COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### Legend of abbreviations:

ADR - Accord européen relatif au transport international des marchandises dangereuses par route

CAS - Chemical Abstracts Service

CLP – Classification, labeling and packaging

CMR - Carcinogenic, Mutagenic or toxic for Reproduction

DNEL - Derived No-Effect Level

EINECS European Inventory of Existing Commercial Chemical Substances

**ELINCS European List of Notified Chemical Substances** 

EmS Emergency Schedule

GHS "Globally Harmonized System of Classification and Labelling of Chemicals"

IARC: International agency for research on cancer

IATA International Air Transport Association

IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)

ICAO International Civil Aviation Organization IMDG International Maritime

Dangerous Goods Code PBT persistant bioaccumulative, toxic

LD50: Median lethal dose; the dose causing 50% lethality

NTP: National toxicology program

OSHA: Occupational safety and health administration



### **Safety Data Sheet**

OEL: Occupational exposure limit

OSHA PELs: Permissible Exposure Limits - 8-hour TWA (time-weighted average) concentrations unless otherwise noted.

PNEC Predicted No-Effect Concentration

PPM parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses št. vPvB very Persistent and very Bioaccumulative (zelo obstojno in se zelo lahko kopiči v organizmih)

Disclaimer of expressed and implied warranties:

The information contained in the safety data sheet is correct to the best of our knowledge at the date of issue. It is intended as a guide for the safe use, handling, disposal, storage and transportation and is not intended as warranty or as a specification. The information relates only to the product specified and may not be suitable for combinations with other materials or in processes other than those specifically described herein.